

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| | | atm and larger adj5 vci | US-PGPUB; USPAT | OR | OFF | 2002/11/12 14:12 |
| | | ((370/396,397.ccls.) and @ad<="19971104") and translat\$3 and node\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/12 12:46 |
| | | ((370/396,397.ccls.) and @ad<="19971104") and address adj translat\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/12 11:38 |
| | | (370/396,397.ccls.) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/12 12:19 |
| | | ((370/396,397.ccls.) and @ad<="19971104") and translat\$3 and intermediate adj node\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/12 12:45 |
| | | ((370/396,397.ccls.) and @ad<="19971104") and intermediate adj node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/12 11:52 |
| L3 | 0 | @ad<="19971104" reverse with (address near7 translat\$4) cross with connect | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 15:35 |
| L4 | 18 | @ad<="19971104" address near7 translat\$4 cross with connect | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 15:35 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| L5 | 24 | @ad<="19971104" address with translato\$4 cross with connect | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 15:49 |
| L6 | 57 | @ad<="19971104" address\$4 near5 translato\$4 cross\$5 with connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 15:50 |
| L7 | 45 | @ad<="19971104" address\$4 near5 translato\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 15:51 |
| L8 | 8 | @prad<="19971104" address\$4 near5 translato\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:09 |
| L9 | 0 | @ad<="19971104" address\$4 near7 translato\$4 before with (cross\$5 near4 connect\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:11 |
| L10 | 0 | @ad<="19971104" address\$4 with translato\$4 before with (cross\$5 near4 connect\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:11 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| L11 | 3 | @ad<="19971104" reverse near4 translat\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:12 |
| L12 | 4 | @ad<="19971104" reverse near4 address translat\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:13 |
| L13 | 96 | @ad<="19971104" address same translat\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:14 |
| L14 | 58 | @ad<="19971104" address with translat\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:14 |
| L15 | 400 | @ad<="19971104" address with translat\$4 cross\$5 near4 connect\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:14 |
| L16 | 1 | @ad<="19971104" (translat\$4 with outside) same (cross\$5 with connect\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:48 |

| | | | | | | |
|-----|------|---|---|-----|-----|---------------------|
| L17 | 3 | @ad<="19971104" (translato\$4 near4 address) same (cross \$5 with connect\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:48 |
| L18 | 64 | @ad<="19971104" (translato\$4 near4 address) cross\$5 with (connect\$5 or point\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:53 |
| L19 | 52 | @ad<="19971104" (translato\$4 near4 address) cross\$5 near4 (connect\$5 or point\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 16:53 |
| L20 | 13 | @ad<="19971104" (translato\$4 near4 address) cross\$5 near4 (connect\$5 or point\$2) 370/236,249,352,363,385,397,411.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/09 17:54 |
| S1 | 3921 | 370/351,356,400,401,389,392,471.ccls. | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:37 |
| S2 | 1 | "5526414".pn. | US-PGPUB; USPAT | OR | OFF | 2002/11/06 11:57 |
| S3 | 3 | 370/351,356,400,401,389,392,471.ccls. and virtual adj node \$2 and transl\$4 | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:38 |
| S4 | 78 | 370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and transl\$4 | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:00 |
| S5 | 45 | (370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and transl\$4) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2007/07/26 12:27 |
| S6 | 6 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and transl\$4) and @ad<="19971104") and vci | US-PGPUB; USPAT | OR | OFF | 2005/12/13 15:24 |

| | | | | | | |
|-----|-----|---|--------------------|----|-----|---------------------|
| S7 | 0 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and vci same large\$2 adj address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:22 |
| S8 | 0 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and vci same increase adj2 address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:22 |
| S9 | 0 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and vci and large\$2 adj address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:22 |
| S10 | 0 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and vci and increase adj2 address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:22 |
| S11 | 3 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and vci same address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:22 |
| S12 | 24 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and increase | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:26 |
| S13 | 4 | ((370/351,356,400,401,389,392,471.ccls. and intermediate adj node\$2 and translat\$4) and @ad<="19971104") and increase and vci | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:27 |
| S14 | 0 | virtual adj node\$2 and translat\$4 and larger adj address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:34 |
| S15 | 147 | translat\$4 and larger adj address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:34 |
| S16 | 0 | (translat\$4 and larger adj address) and vci | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:35 |
| S17 | 0 | ((translat\$4 and larger adj address) and @ad<="19971104") and virtual adj node | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:35 |
| S18 | 7 | ((translat\$4 and larger adj address) and @ad<="19971104") and route and node | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:36 |
| S19 | 104 | (translat\$4 and larger adj address) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:36 |
| S20 | 79 | 370/351,356,400,401,389,392,471.ccls. and translat\$4 and larger same address | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:38 |

| | | | | | | |
|-----|--------|---|-------------------------|----|-----|---------------------|
| S21 | 9 | (370/351,356,400,401,389,392,471.ccls. and translat\$4 and larger same address) and vci | US-PGPUB; USPAT | OR | OFF | 2002/11/06 13:11 |
| S22 | 51 | (370/351,356,400,401,389,392,471.ccls. and translat\$4 and larger same address) and route | US-PGPUB; USPAT | OR | OFF | 2002/11/06 12:44 |
| S23 | 0 | vpi and vci same larger adj address same space | US-PGPUB; USPAT | OR | OFF | 2002/11/06 13:12 |
| S24 | 1 | vci and larger adj address same space | US-PGPUB; USPAT | OR | OFF | 2002/11/06 13:12 |
| S25 | 8 | address adj translator and vci and larger | US-PGPUB; USPAT | OR | OFF | 2002/11/06 13:19 |
| S26 | 7 | (address adj translator and vci and larger) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/06 13:19 |
| S27 | 1 | "5581552".pn. | US-PGPUB; USPAT | OR | OFF | 2002/11/06 13:54 |
| S28 | 1 | "9604729".pn. | US-PGPUB; USPAT; EPO | OR | OFF | 2002/11/06 13:54 |
| S29 | 1946 | (370/400,401.ccls.) | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:38 |
| S30 | 46 | ((370/400,401.ccls.) and node\$2 and packet and translat\$4) and intermediate adj node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:38 |
| S31 | 27 | ((370/400,401.ccls.) and node\$2 and packet and translat\$4) and intermediate adj node\$2 and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:39 |
| S32 | 183 | (370/400,401.ccls.) and node\$2 and packet and translat\$4 and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:49 |
| S33 | 27 | ((370/400,401.ccls.) and node\$2 and packet and translat\$4 and @ad<="19971104") and intermediate adj node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:50 |
| S34 | 362 | (370/400,401.ccls.) and node\$2 and packet and translat\$4 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:51 |
| S35 | 46 | (370/400,401.ccls.) and node\$2 and packet and translat\$4 and intermediate adj node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 10:52 |
| S36 | 545 | (370/395.1,396,397.ccls.) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/07 12:10 |
| S37 | 128695 | ((370/395.1,396,397.ccls.) and @ad<="19971104") and translat\$3 and intermediate adj\$2 node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 11:48 |

| | | | | | | |
|-----|-----|---|--------------------|----|-----|---------------------|
| S38 | 20 | ((370/395.1,396,397.ccls.) and @ad<="19971104") and transl\$3 and intermediate adj2 node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 11:55 |
| S39 | 41 | ((370/395.1,396,397.ccls.) and @ad<="19971104") and address adj3 transl\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 11:49 |
| S40 | 26 | ((370/395.1,396,397.ccls.) and @ad<="19971104") and address adj3 transl\$3 and node\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 11:51 |
| S41 | 5 | ((370/395.1,396,397.ccls.) and @ad<="19971104") and address adj3 transl\$3 and intermediate adj node\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 11:51 |
| S42 | 17 | ((370/395.1,396,397.ccls.) and @ad<="19971104") and packet and transl\$3 and intermediate adj2 node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 11:56 |
| S43 | 433 | (370/396,397.ccls.) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/08 08:54 |
| S44 | 601 | (370/396,397.ccls.) | US-PGPUB; USPAT | OR | OFF | 2002/11/07 15:52 |
| S45 | 111 | (370/396,397.ccls.) and transl\$4 and node\$2 and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2002/11/07 15:59 |
| S46 | 28 | (370/396,397.ccls.) and address adj transl\$4 and node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/07 16:00 |
| S47 | 0 | ((370/396,397.ccls.) and @ad<="19971104") and transl\$3 and secondary adj node\$3 | US-PGPUB; USPAT | OR | OFF | 2002/11/12 16:31 |
| S48 | 0 | ((370/396,397.ccls.) and @ad<="19971104") and secondary adj nodes | US-PGPUB; USPAT | OR | OFF | 2002/11/12 16:31 |
| S49 | 0 | atm and expandable adj vpi/vci | US-PGPUB; USPAT | OR | OFF | 2002/11/12 16:31 |
| S50 | 0 | atm and expandable adj vci | US-PGPUB; USPAT | OR | OFF | 2002/11/12 16:31 |
| S51 | 0 | atm and expandable adj5 vci | US-PGPUB; USPAT | OR | OFF | 2002/11/12 16:31 |
| S52 | 1 | "5623688".pn. | US-PGPUB; USPAT | OR | OFF | 2002/11/13 10:55 |
| S53 | 1 | "5522045".pn. | US-PGPUB; USPAT | OR | OFF | 2002/11/13 10:56 |
| S54 | 1 | "5467349".pn. | US-PGPUB; USPAT | OR | OFF | 2002/11/13 11:00 |

| | | | | | | |
|-----|---------|--|--------------------|----|-----|---------------------|
| S55 | 1 | "5581552".pn. | US-PGPUB; USPAT | OR | OFF | 2002/11/13 11:06 |
| S56 | 5 | atm and address and translat\$4 and secondary adj node\$2 | US-PGPUB; USPAT | OR | OFF | 2002/11/13 11:08 |
| S57 | 605 | (370/395.1,397,399,395.21.ccls.) and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:13 |
| S58 | 74 | ((370/395.1,397,399,395.21.ccls.) and @ad<="19971104") and qos and atm | US-PGPUB; USPAT | OR | OFF | 2003/05/06 12:22 |
| S59 | 2 | ((370/395.1,397,399,395.21.ccls.) and @ad<="19971104") and qos and atm and vc with propt\$3 | US-PGPUB; USPAT | OR | OFF | 2003/05/06 12:38 |
| S60 | 7 | ((370/395.1,397,399,395.21.ccls.) and @ad<="19971104") and qos and atm and vc and address adj field | US-PGPUB; USPAT | OR | OFF | 2003/05/06 12:39 |
| S61 | 73 | atm and @ad<="19971104" and transmission adj propt\$3 | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:14 |
| S62 | 0 | (atm and @ad<="19971104" and transmission adj properties) and vpi/vci | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:14 |
| S63 | 1 | (atm and @ad<="19971104" and transmission adj properties) and vci | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:14 |
| S64 | 1 | (atm and @ad<="19971104" and transmission adj properties) and vpi | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:15 |
| S65 | 71 | atm and @ad<="19971104" and transmission adj properties | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:30 |
| S66 | 42 | ((370/395.1,397,399,395.21.ccls.) and @ad<="19971104") and qos and atm and vc | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:19 |
| S67 | 39 | 370/395.21.ccls. and @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2003/05/06 13:30 |
| S68 | 1 | "5991297".pn. | US-PGPUB; USPAT | OR | OFF | 2003/05/06 15:05 |
| S69 | 2570380 | "370"/\$.ccls. and node\$2 and address adj2 translat\$4 and selector @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2003/10/16 14:47 |
| S70 | 2570351 | "370"/\$.ccls. and node\$2 and address adj translator and selector @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2003/10/16 14:48 |
| S71 | 2570351 | "370"/\$.ccls. and nodes and address adj translator and selector @ad<="19971104" | US-PGPUB; USPAT | OR | OFF | 2003/10/16 14:49 |

| | | | | | | |
|-----|------|--|--------------------|-----|-----|---------------------|
| S72 | 14 | "370"/\$.cls. and @ad<="19971104" and address adj translator and nodes | US-PGPUB; USPAT | OR | OFF | 2003/10/16 14:50 |
| S73 | 5 | "370"/\$.cls. and @ad<="19971104" and address adj translator and nodes and initial adj address | US-PGPUB; USPAT | OR | OFF | 2003/10/16 15:03 |
| S74 | 33 | "5467349".URPN. | USPAT | OR | OFF | 2003/10/16 15:10 |
| S75 | 25 | "5467349".URPN. and "370"/\$.cls. and @ad<="19971104" | USPAT | OR | OFF | 2003/10/16 15:11 |
| S76 | 1 | "6721329".pn. | US-PGPUB; USPAT | AND | OFF | 2005/06/22 10:33 |
| S77 | 321 | intermediate near node\$2 translation @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:25 |
| S78 | 30 | intermediate near node\$2 translation @ad<="19971104" qos | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:35 |
| S79 | 0 | primary near node\$2 address near2 translation @ad<="19971104" qos | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:36 |
| S80 | 0 | primary near node\$2 address with translation @ad<="19971104" qos | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:36 |
| S81 | 0 | primary near node\$2 address same translation @ad<="19971104" qos | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:36 |
| S82 | 4 | primary with node\$2 address same translation @ad<="19971104" qos | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:37 |
| S83 | 0 | primary same node secondary near node\$2 address same translation @ad<="19971104" qos | US-PGPUB; USPAT | AND | OFF | 2005/12/13 15:37 |
| S84 | 7 | primary same node secondary near node\$2 address same translation @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2005/12/13 16:32 |
| S85 | 1 | primary same node secondary near node\$2 address same translation @ad<="19971104" selector | US-PGPUB; USPAT | AND | OFF | 2005/12/13 16:32 |
| S86 | 3 | primary secondary same node\$2 address same translation @ad<="19971104" selector | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:27 |
| S87 | 1210 | address same translation @ad<="19971104" selector | US-PGPUB; USPAT | AND | OFF | 2005/12/13 16:35 |
| S88 | 732 | address near translation @ad<="19971104" selector | US-PGPUB; USPAT | AND | OFF | 2005/12/13 16:35 |

| | | | | | | |
|------|-----|--|--------------------|-----|-----|---------------------|
| S89 | 19 | address near translation @ad<="19971104" selector same header | US-PGPUB; USPAT | AND | OFF | 2005/12/13 16:38 |
| S90 | 8 | @ad<="19971104" selecting near packets same header | US-PGPUB; USPAT | AND | OFF | 2005/12/13 16:38 |
| S91 | 0 | primary near3 node secondary near2 node\$2 address same translation @ad<="19971104" reverse near translation | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:28 |
| S92 | 0 | primary near3 node secondary near2 node\$2 address same translation @ad<="19971104" reverse with translation | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:29 |
| S93 | 2 | primary near3 node secondary near2 node\$2 address same translation @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:05 |
| S94 | 0 | revers same (address near2 translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:29 |
| S95 | 7 | reverse same (address near2 translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:30 |
| S96 | 6 | reverse with (address near2 translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:33 |
| S97 | 35 | reverse near2 translation nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:33 |
| S98 | 3 | (reverse near2 translation) same nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:34 |
| S99 | 3 | (reverse near4 translation) same nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:35 |
| S100 | 4 | (reverse with translation) same nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:37 |
| S101 | 224 | (reverse same translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:37 |
| S102 | 52 | (reverse near3 translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:37 |
| S103 | 35 | (reverse near2 translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:38 |
| S104 | 1 | (reverse near address near translation) same nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:39 |
| S105 | 2 | (reverse near address near translation) nodes @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 12:39 |

| | | | | | | |
|------|-----|---|---|-----|-----|---------------------|
| S106 | 7 | (reverse near address near translation) @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:29 |
| S107 | 371 | (reverse near2 translation) @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:29 |
| S108 | 49 | (reverse near2 translation) node\$2 @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:30 |
| S109 | 10 | (reverse near2 translation) node\$2 "370"/\$.cls. @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:36 |
| S110 | 45 | (reverse near2 translation) packet\$2 @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:42 |
| S111 | 14 | back with (address near2 translation) packet\$2 @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:44 |
| S112 | 16 | reverse same (address near2 translation) packet\$2 @ad<="19971104" | US-PGPUB; USPAT | AND | OFF | 2007/07/26 14:45 |
| S113 | 57 | @ad<="19971104" selector with (address near3 information) packet\$2 | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:05 |
| S114 | 26 | @ad<="19971104" selector with (address near information) packet\$2 | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:06 |
| S115 | 4 | @ad<="19971104" selector with (address near information) packet\$2 near3 header | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:08 |
| S116 | 5 | @ad<="19971104" (selector with header) same (address near information) packet\$2 | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:10 |
| S117 | 67 | @ad<="19971104" selector same (address near information) packet\$2 | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:10 |
| S118 | 26 | @ad<="19971104" selector with (address near information) packet\$2 | US-PGPUB; USPAT | AND | OFF | 2007/12/30 14:10 |
| S119 | 1 | @ad<="19971104" address same translation node\$2 transmission with propt\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:45 |

| | | | | | | |
|------|---|--|---|-----|-----|---------------------|
| S120 | 4 | @ad<="19971104" (address same translation) same node\$2 transmission same propert\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:46 |
| S121 | 0 | @ad<="19971104" (address near5 translat\$5) same node\$2 (transmission near6 propert\$5) same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:48 |
| S122 | 0 | @ad<="19971104" (address near5 translat\$5) node\$2 (transmission near6 propert\$5) same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:48 |
| S123 | 0 | @ad<="19971104" (address near5 translat\$5) node\$2 (transmission with propert\$5) same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:48 |
| S124 | 0 | @ad<="19971104" (address near5 translat\$5) node\$2 (link with propert\$5) same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:48 |
| S125 | 0 | @ad<="19971104" (address with translat\$5) node\$2 (link with propert\$5) same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:48 |

| | | | | | | |
|------|-----|--|---|-----|-----|---------------------|
| S126 | 6 | @ad<="19971104" (address with translat\$5) node\$2 (link with propt\$5) header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:48 |
| S127 | 1 | @ad<="19971104" (address with translat\$5) same header\$2 node\$2 transmission with propt\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:51 |
| S128 | 0 | @ad<="19971104" (address with translat\$5) same header\$2 node\$2 header with propt\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:53 |
| S129 | 6 | @ad<="19971104" (address with translat\$5) node\$2 header with propt\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:53 |
| S130 | 6 | @ad<="19971104" (node\$2 with translat\$5) header with propt\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:53 |
| S131 | 394 | @ad<="19971104" translat\$5 with header\$2 node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:55 |

| | | | | | | |
|------|-----|---|---|-----|-----|---------------------|
| S132 | 107 | @ad<="19971104" (translat\$5 with header\$2) same node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:55 |
| S133 | 0 | @ad<="19971104" (translat\$5 with header\$2) same node\$2 transmission with propt | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:55 |
| S134 | 4 | @ad<="19971104" (translat\$5 with header\$2) same node\$2 propt\$4 with transmission | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:55 |
| S135 | 4 | @ad<="19971104" (translat\$5 with header\$2) same node\$2 propt\$4 with link | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 14:59 |
| S136 | 7 | @ad<="19971104" reverse same (address near2 translation) node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:00 |
| S137 | 0 | @ad<="19971104" reverse same (address near5 translation) propt\$5 same transm\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:03 |

| | | | | | | |
|------|-----|---|---|-----|-----|---------------------|
| S138 | 2 | @ad<="19971104" reverse (address near5 translation) propt\$5 same transm\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:03 |
| S139 | 8 | @ad<="19971104" (address near5 translation) propt\$5 same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:03 |
| S140 | 240 | @ad<="19971104" (address near5 translation) transmission same header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:04 |
| S141 | 49 | @ad<="19971104" (address near5 translation) transmission near4 header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:04 |
| S142 | 5 | @ad<="19971104" (address near5 translation) transmission near4 header\$2 qos | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:04 |
| S143 | 9 | @ad<="19971104" (address near5 translation) transmission with header\$2 qos | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:06 |

| | | | | | | |
|------|-----|---|---|-----|-----|---------------------|
| S144 | 11 | @ad<="19971104" (address near5 translat\$5) transmission with header\$2 qos | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:07 |
| S145 | 167 | @ad<="19971104" (address near5 translat\$5) transmission with header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:08 |
| S146 | 108 | @ad<="19971104" (address near5 translat\$5) node\$2 transmission with header\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:08 |
| S147 | 0 | @ad<="19971104" (address near5 translat\$5) node\$2 (transmission with header\$2) same propt\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:08 |
| S148 | 8 | @ad<="19971104" (address near5 translat\$5) node\$2 header \$2 same propt\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/16 15:08 |
| S149 | 78 | @ad<="19971104" (address near2 translation) with node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2009/03/17 11:20 |

| | | | | | | |
|------|-----|--|---|-----|----|---------------------|
| S150 | 0 | @ad<="19971104" (address near2 translat\$2) with node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:22 |
| S151 | 150 | @ad<="19971104" (address near2 translat\$4) with node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:23 |
| S152 | 1 | @ad<="19971104" (address near2 translat\$4) with (node\$2 near5 reverse) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:23 |
| S153 | 2 | @ad<="19971104" (address near2 translat\$4) same (node\$2 with reverse) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:30 |
| S154 | 4 | @ad<="19971104" (address near7 translat\$4) same (node\$2 with reverse) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:31 |
| S155 | 20 | @ad<="19971104" reverse with (address near7 translat\$4) node\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:32 |

| | | | | | | |
|------|----|---|---|-----|----|---------------------|
| S156 | 11 | @ad<="19971104" reverse with (address near7 translat\$4) ip | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:33 |
| S157 | 63 | @ad<="19971104" reverse with (address near7 translat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:34 |
| S158 | 36 | @ad<="19971104" reverse with (address near7 translat\$4) network | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:35 |
| S159 | 13 | @ad<="19971104" reverse with (address near7 translat\$4) network 370/232,335,349,352,355,363,364,389,401.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:58 |
| S160 | 20 | (reverse with (address near7 translat\$4) network).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 11:59 |
| S161 | 0 | S160 @ad<="19971104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 12:00 |

| | | | | | | |
|------|----|--|---|-----|----|---------------------|
| S162 | 1 | @ad<="19971104" reverse with (address near7 translat\$4) node\$2 709/223-226.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/03/17 12:02 |
| S163 | 14 | @ad<="19971104" (address near7 translat\$4) with network cross near4 connect | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/07 12:19 |
| S164 | 10 | @ad<="19971104" (address near3 translat\$4) with network cross near4 connect | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/09/07 12:19 |

EAST Search History (Interference)

< This search history is empty >

9/ 9/ 2009 5:57:09 PM

C:\ Documents and Settings\ rjain1\ My Documents\ EAST\ Workspaces\ 10780473.wsp